



























# RAD STUDIO 12.2 PRODUCT FEATURE MATRIX

Each feature in the following table has an indication if it is available in Delphi  and/or C++Builder . RAD Studio editions include both languages. Each column covers multiple, similar editions, with any difference specifically called out. Some of the features are only available for download from the IDE in the GetIt Package Manager, requiring an Internet connection and an active Update Subscription. Community Edition<sup>1</sup> is available only for single languages, has a limited license, and doesn't include the bonus features available in the GetIt package manager.

## TABLE OF CONTENTS

<a href="#">INTEGRATED COMPILERS AND TOOLCHAINS</a>	<a href="#">APPLICATION PLATFORMS, INTEGRATED FRAMEWORKS, FMX APPLICATION PLATFORM (FIREMONKEY)</a>
<a href="#">LICENSING AND TOOL MANAGEABILITY</a>	<a href="#">COM/DCOM SUPPORT</a>
<a href="#">VISUAL COMPONENT LIBRARY (VCL)</a>	<a href="#">VISUAL LIVEBINDINGS</a>
<a href="#">INTERNET OF THINGS (IOT) SUPPORT</a>	<a href="#">RECENT C++ LANGUAGE AND CORE RTL FEATURES</a>
<a href="#">INTEGRATED BUILD TOOLS AND PROJECT SUPPORT</a>	<a href="#">SHARED RUNTIME LIBRARY FEATURES</a>
<a href="#">RECENT DELPHI LANGUAGE AND CORE RTL FEATURES</a>	<a href="#">SOURCE CODE MANAGEMENT</a>
<a href="#">INTEGRATED DEVELOPMENT ENVIRONMENT</a>	<a href="#">SEARCH AND NAVIGATION</a>
<a href="#">REFACTORINGS</a>	<a href="#">INTEGRATED HELP</a>
<a href="#">INTEGRATED DEBUGGING</a>	<a href="#">DATABASE APPLICATION DEVELOPMENT AND CONNECTIVITY</a>
<a href="#">INTEGRATED UNIT TESTING</a>	<a href="#">OTHER DATABASE TECHNOLOGIES</a>
<a href="#">FIREDAC MULTI-DEVICE DATA ACCESS LIBRARY</a>	<a href="#">RAD SERVER</a>
<a href="#">WEB BROKER AND WEBSTENCILS</a>	<a href="#">INCLUDED DATABASE TOOLS AND DATABASE ENGINES</a>
<a href="#">DATASNAP MULTI-TIER</a>	<a href="#">REST CLIENT LIBRARY AND BAAS</a>
<a href="#">CLOUD SUPPORT</a>	<a href="#">FILE COMPARE WITH BEYOND COMPARE TEXT COMPARE</a>
<a href="#">XML AND SOAP</a>	<a href="#">IP*WORKS! COMMUNICATION COMPONENTS</a>
<a href="#">LOGGING WITH CODESITE EXPRESS</a>	<a href="#">SENCHA EXT JS PROFESSIONAL EDITION</a>
<a href="#">ADDITIONAL COMPONENTS</a>	
<a href="#">AQUA DATA STUDIO</a>	

	PROFESSIONAL COMMUNITY <sup>1</sup>	ARCHITECT ENTERPRISE
<b>INTEGRATED COMPILERS AND TOOLCHAINS</b>		
		
		
<b>NEW IN 12.2 ATHENS</b>		
		
		
<b>INTRODUCED IN 11 ALEXANDRIA</b>		
		
<b>INTRODUCED IN 11.2 ALEXANDRIA</b>		
		
		
		
		
<b>ENHANCED IN 12.2 ATHENS</b>		












## LICENSING

Licensing suitable for larger teams with no restriction on the number of licenses you can purchase or use and on revenue derived from the product (see EULA for details)

























   
PROFESSIONAL only



<sup>1</sup> Community Edition is currently available for the 12.1 Athens release, which doesn't include all of the features in 12.2.

















































































Network named or concurrent licenses available	 	 
Earlier version licenses included in network licenses (Delphi 2007–11, C++ Builder 2007–11). Delphi 7 and C++Builder 6 available separately	 	 
Access to licenses and downloads for earlier versions with purchase of standalone product licenses (Delphi 2007–11, C++Builder 2007–11, Delphi 7, and C++Builder 6)	 	 







































































**APPLICATION PLATFORMS, INTEGRATED FRAMEWORKS, DESIGNERS AND SDKS**

ENHANCED IN 12 ATHENS	FireMonkey Application Platform for creating 32-bit Windows applications and 64-bit Windows applications for Windows 11, Windows 10, Windows 7 (SP1+); Windows Server 2022 and 2019	 	 
ENHANCED IN 12 ATHENS	FireMonkey Application Platform for creating 64-bit macOS applications for Intel and ARM CPUs (M1), that run on macOS 14 Sonoma, macOS 13 Ventura, and macOS 12 Monterey, including support for universal binary		
ENHANCED IN 12 ATHENS	FireMonkey Application Platform for creating iOS ARM 64-bit applications for iOS 17 and iOS 16		
ENHANCED IN 12 ATHENS	Delphi iOS Simulator support for ARM 64-bit macOS		
ENHANCED IN 12.1 ATHENS	FireMonkey Application Platform for creating native 32-bit and native 64-bit Android ARM applications for Android 14, 13, 12, 11, and 10. Supports Android API level 34. <i>* Android development requires the Android SDK from Google, which cannot be fully installed without an Internet connection</i>		
ENHANCED IN 12 ATHENS	VCL (Visual Component Library) for rapidly building 32-bit and 64-bit applications for Windows 11, Windows 10, Windows 7; Windows Server 2022, 2019 and 2016	 	 
ENHANCED IN 11.3 ALEXANDRIA	Windows MSIX package format deployment (providing support for deploying to the Microsoft Store), including the management of additional files, MSIX packaging and code signing automatically invoking the platform SDK. The Windows signing support in the IDE since 11.3 includes support for the time stamping of MSIX files. <i>(This feature requires running RAD Studio on Windows 10 Anniversary Update or above)</i>	 	 
ENHANCED IN 12 ATHENS	Microsoft Windows SDK support for Windows 11, 10 and 7 APIs. Includes support for calling both classic Win32/Win64 APIs and enhanced support for WinRT APIs; required for the Windows App SDK (aka Project Reunion)	 	 



























































































**FIREMONKEY APPLICATION PLATFORM**

ENHANCED IN 11 ALEXANDRIA	FireUI multi-device designer for visually building mobile and desktop applications and customize them at design time for different form factors and operating systems	 	 
	FireUI multi-device designer ability to make changes on the main user interface that are propagated to other device specific user interfaces and fine tune a device specific form factor without affecting other views; support for adding additional custom views to the designer	 	 
	FireUI App Previews lets you preview your FireMonkey application on iOS, Android, desktop targets as you are designing the app. Changes made in the FMX Designer are broadcasted in real time to connected devices using the appropriate Styles for the devices.		
	Several dozen UI controls for building FMX applications, covering the most common UI guidelines and including also 3D support, for rapidly building multi-device applications	 	 
NEW IN 12 ATHENS	FireMonkey Skia support including direct APIs, specific UI controls, and the automatic mapping of FireMonkey UI controls UI rendering via Skia. In general terms, Skia improves the quality of the rendering and the performance.	 	 
NEW IN 12 ATHENS	New FireMonkey Skia-based controls: TSkAnimatedImage, TSkLabel, TSkPaintBox, TSkAnimatedPaintBox, and TSkSvg	 	 
NEW IN 12 ATHENS	Exclusive Skia features not found in the Skia4Delphi library: <ul style="list-style-type: none"> <li>• Vulkan Backend support for Android</li> <li>• Skia Shading Language (SKSL)</li> <li>• Animated Codec: WebP Encoder</li> </ul>	 	 









































































































	<ul style="list-style-type: none"> <li>Printer Support and Printing to PDF</li> </ul>		
ENHANCED IN 11.1 ALEXANDRIA	FireMonkey for Windows now uses the same DP model (rather than Pixel model) of all platforms, offering significant enhancement for the apps rendering on Windows HighDPI and 4K monitors	 	 
	Metal Drivers GPU Support for macOS and iOS		
INTRODUCED IN 11.3 ALEXANDRIA	Mobile Biometric Authentication component, called TBiometricAuth, which provides a means of authorization to use an application or some specific features via Biometrics (e.g., Face ID on iOS devices or Fingerprint on Android devices).		
NEW IN 12 ATHENS	New Styled Memo Implementation with enhanced IME support, available for all supported platforms	 	 
NEW IN 12 ATHENS	FireMonkey TEdit now supports Undo functionality, using the recently added TUndoManager is shared between TEdit and TMemo	 	 
NEW IN 12 ATHENS	Editing improvements with new Virtual Keyboard for iOS, better interactive text selection, caret point management and finger gestures on Android		
	TBufferedLayout Component for faster rendering of child controls	 	 
	Support for iOS Launch Storyboard		
NEW IN 12 ATHENS	Split screen app support (side-by-side apps) for both iOS and Android		
NEW IN 12 ATHENS	Android's adaptive icons		
	Automatic iOS Theme check and theme change notification		
	Address Book component for iOS and Android, allowing access to and extensive modification of device contacts and groups and including monitoring of address book changes by other applications		
	Google Firebase Push Notification support for the Android platform, with IDE-integrated configuration and updated Google Play services		
	QuickEdit designers for FireMonkey, including a pane for editing common control properties faster and several other additions to the IDE designer experience	 	 
	Extended clipboard service support, with IFMXExtendedClipboardService interface, with support for querying and working with text, images, and custom formats	 	 
	Support for accelerator keys on Windows, compatible with other platforms and implemented using the IFMXAcceleratorKeyRegistryService platform service. There is also a FocusControl property for the Label control to specify the focus target for the label's accelerator	 	 
	Grid controls improvements including support for ImageList, AutoDisplacement and CancelEditingByDefault options, and StringGrid supports for glyph and currency columns	 	 
	ListView item designer, providing an interactive way to work with ListView items; Touch animation support for TListView	 	 
	Enhanced TFont and TFontStyle to support multi-weight, multi-style fonts	 	 
	Improvements to MessageBox, ShowMessage and InputQuery offering both synchronous (blocking) implementation and asynchronous (non-blocking) implementation	 	 
	Mouse-over Hints support for FireMonkey visual controls on desktop	 	 
	FireMonkey zOrder support for Windows and native style presentation for Windows for Edit and Memo platform controls	 	 
	FireMonkey zOrder support for Android and native style presentation for Android for Edit, Calendar, Switch, and Multiview controls		
	Touch animation for Android platform		
	FireMonkey apps can receive Android intents, regardless of the source (email, web link, other app)		
	FireMonkey Behavior service for automatically adjusting UI properties to the target operating system standards	 	 








































































	MultiView component to create a UI that adapts to the form factor, from mobile to tablet, from portrait to landscape. Now with specific support for Windows 10 UI, options to manage borders appearance, and alignments for docked panel mode	 	 
	Multi-Threading support for TBitmap, TCanvas and TContext3D	 	 
	Unification of Delphi and Java threads on Android		
	Radiant Shapes controls collection* <i>* Available for download in the GetIt Package Manager (not for Community Edition)</i>	 	 
	Specific TSwitch behavior for Windows 10 UI	 	 
	Edit and Calendar ability to dynamically render a platform native UI control on iOS; Memo platform controls for iOS for highest input fidelity		
	TGrid, TListView, TCalendar, TSwitch and TScrollBox platform controls for iOS		
	MapView component for mobile platforms (iOS and Android) supporting platform specific interactive mapping libraries (respectively, by Apple and Google)		
ENHANCED IN 12 ATHENS	WebBrowser component for Windows, with support for both the classic IE ActiveX and the new Microsoft WebView 2 control (Chromium-based Edge).	 	 
	WebBrowser component for macOS based on WKWebView platform API		
	Improved mixing of platform and styled components, with platform styling options for iOS and controls Z-order improvements (with ControlType property for non-platform controls)		
	ImageList component for FireMonkey, for storing and manipulating multiple images and sub-images in a single component; several components can pick their graphical elements from the ImageList, rather than a standalone image	 	 
	Multi-monitor support for desktop platforms	 	 
	Splash screen support for Android, with specific project options matching the iOS ones		
	Form-level multi-touch support for all available platforms	 	 
	Tint support for buttons and toolbars on iOS and Android (for control surface and controls icons)		
ENHANCED IN 11 ALEXANDRIA	In-app purchase component for iOS and Android, to help monetize your applications. Android solution Google Play Billing Library Version 4		
	Advertising component for Android, including AdMob support based on the Google Mobile Ads SDK (updated to version 7.0 in RAD Studio 10.2.3), also to help you monetize your mobile applications		
	Advertising component for iOS, including AdMob support based on the Google Firebase SDK		
	Push notifications support for mobile platforms, to receive remote notifications even if the app is not running (including Firebase support for Android and iOS clients)		
	FireMonkey support for AppTethering across desktop and mobile applications, including both Wifi and Bluetooth support, with protocol enhancements, including encryption hooks and events to handle when a profile is connected or disconnected		
	Native message alerts for iOS and Android		
	Custom Pickers for iOS and Android, including Date Picker (DateEdit component) and Time Picker, Time Picker for desktop platforms		
ENHANCED IN 11.3 ALEXANDRIA	Phone Dialer Support for iOS and Android. Enhanced in 11.3 with IFMXPhoneDialerListenerService, implemented for Android. The service is intended for tracking changes in the state of the phone system service (Calls, Carrier, CallState).		
	Built-in text editing mode for Edit and Memo controls on Android and iOS, including Cut/Copy/Paste/Zoom; Spell Check Support for text input controls on iOS and Android		
	Notification Center Component for using notifications in your iOS and Android applications, including notification sound and now supporting also Windows 10 Notifications		
	Gesture support for iOS and Android including swipe (pan), tap, tap and hold, double tap and pinch & zoom		

FireMonkey Mobile Application Wizard with header/footer, tabbed, and master detail templates		
Full set of native iOS and Android styling options for buttons, toolbars, list boxes, sliders, switch controls		
Swipe-to-Delete and Pull-to-Refresh on iOS and Android with the ListView component; search filtering for ListView		
WebBrowser component for loading and displaying web content in your iOS and Android applications (with corresponding desktop component)		
Extended ListBox capabilities for iOS and Android, including header/footer/grouped styling, embedded search and expanded LiveBindings support		
Support for various keyboard types on iOS and Android		
TMagnifier component for easily zooming in on images and text		
TCameraComponent component for accessing the front and back camera, the flash, and more device camera features		
TabControl with settings for using tabs as views and a PlatformDefault tab position to automatically adapt tab layout to the current mobile platform, support for TabControl tab icons on Android (Delphi only), slide transition action for TTabControl		
FireMonkey Frames for designing portions of the UI and repeating them on multiple forms		
Toggle Device Skin to show/hide mobile device background in the multi-device designer		
FireMonkey Save State feature for persisting the forms status between sessions (and when the program is stopped by the operating system)		
macOS Full screen Mode		
Use of IFMXDragDropService to drag data to another applications on macOS		
Actions and ActionLists for FireMonkey for better separation of the application logic from the user interface		
Ready-to-use action for accessing the camera application and for accessing images from the camera roll on iOS and Android		
Share Sheet support on iOS and Android for sharing content via Messaging, Mail, Facebook, Twitter etc.		
FireMonkey control anchors for flexible positioning and sizing of the visual controls; Layout Managers (Flow Layout, Grid Layout) for flexible child controls positioning and sizing		
Location Services component for GPS or triangulation, including geocoding support		
Orientation sensor (gyroscope/compass) on iOS, Android, and on Windows (requires compatible hardware)		
Motion Sensor component for accelerometer access on iOS, Android, and on Windows (requires compatible hardware)		
3D File Import Support		
Non-Client Area Application Styling for Windows and Mac (Delphi only)		
Support for Windows gestures. On-screen keyboard support for Windows touch devices		
Edit control with styleable glyph with built-in style support for search bar and password control		
Animated progress glyphs, including Windows ring		
StyleLookUp support with preview of available designs for the selected component		
Shared external redistributable bitmap style designer for VCL and FMX		
Premium FireMonkey multi-device styles* with theming support for all supported platforms		
<i>* Available for download in the GetIt Package Manager (not for Community Edition)</i>		
















































































	Bitmap Style Designer enhancement, including templates for Windows, Mac OS and Android styles, ability to create blank styles for different platforms, and to adjust objects for different graphic resolutions. Some platforms are Delphi only.	 	 
	Significantly improved integrated FireMonkey Style Designer, and enhancement to the TStyleBook component to support a collection of styles for various platforms	 	 
	Bitmap Links editor, to modifying TBitmapLink properties directly inside the IDE	 	 
	Native UI and custom UI control styles	 	 
	FireMonkey Visual Form Inheritance	 	 
	Use one shader language for all rendering libraries (OpenGL or 3D)	 	 
<b>VISUAL COMPONENT LIBRARY (VCL)</b>			
	Object-oriented, fully extensible and reusable visual component library (VCL) and applications architecture for Windows development	 	 
ENHANCED IN 11 ALEXANDRIA	VCL Form Designer to visually build native Windows applications, with live snap-to hints and layout guidelines	 	 
	Visual Form Inheritance and Form linking to reduce coding and simplify maintenance; Frames for building and reusing compound components	 	 
	Object Repository for storing and reusing forms and Data Modules	 	 
	Object Inspector to set component properties and events	 	 
NEW IN 12 ATHENS	New VCL Skia-based controls: TSkAnimatedImage, TSkLabel, TSkPaintBox, TSkAnimatedPaintBox, and TSkSvg	 	 
NEW IN 12 ATHENS	Support for full HighDPI and VCL styles in MDI applications. The MDI support in VCL has been reworked and expanded to overcome Windows platform limitations. Includes an updated MDI form Wizard	 	 
NEW IN 12 ATHENS	New TFormTabsBar control and TFormVisualManager interface to help build general tab-based UIs and a MDI tabbed forms architecture	 	 
	VCL Styles support for High-DPI and 4K monitors, with support for multiple resolution of graphical elements, automatic scaling, and improved element sizing on different DPI configurations	 	 
	A dozen of ready to use High-DPI optimized VCL styles	 	 
	Per-control VCL styling support	 	 
NEW IN 12 ATHENS	Extended TFont VCL class with DPI-related and improved scaling support	 	 
	Custom Title Bars and the TitleBarPanel Component	 	 
	TVirtualImage component with support for images with multiple resolutions	 	 
ENHANCED IN 12 ATHENS	TEdgeBrowser Component integrating Microsoft's Chromium-based Edge WebView2 component and changes to the TWebBrowser component to support both IE and Edge-- now based on Microsoft release version of Edge WebView2 component and supporting custom cache folders, with support for the UserDataFolder and the ExecutableFolder configurations. Enhanced in 12.0 with new properties and methods, mapped to new features in recent versions of the WebView 2 control (like UserAgent, browsing data management)	 	 
ENHANCED IN 11.3 ALEXANDRIA	VCL TControlList control, a flexible and virtualized list control, designed as a high-performance control for very long lists and a modern look and feel. Added support for the selection of multiple items in 11.3.	 	 
ENHANCED IN 12.1 ATHENS	VCL TNumberBox control, a modern-looking numeric input control, for integer, floating point numbers, and currency values. Enhanced in 12.1 with better support for negative values and scientific notation	 	 
	QuickEdit designers for VCL, including additional items in the designer menu, a pane for editing common control properties faster, and several other additions to the IDE designer experience	 	 
NEW IN 12 ATHENS	New property editors: string list editor and multiline string editor (originally part of Ksvc, Konopka Signature VCL Controls)	 	 




































































NEW IN 12 ATHENS	Quick configuration dialogs for buttons, radio groups and panels (originally part of KSVCL, Konopka Signature VCL Controls)	 	 
	Windows components fully integrated with the classic Windows API and the modern WinRT API	 	 
NEW IN 12 ATHENS	A new set of units with the complete Windows API headers converted to Object Pascal. This API conversion includes 311 Delphi header files* with 41 MB of code, covering the entire platform API provided by Microsoft. <i>* Available for download in the GetIt Package Manager (not for Community Edition)</i>	 	 
	Complete VCL library source code to help writing custom components, debug your applications, and fully understand the library behavior	 	 
	TImageCollection and DPI-aware TVirtualImageList components to manage multiple-resolution images and improve application support for high-DPI monitors and application form scaling. Includes design time support with an Image Collection editor and a Virtual Image List editor.	 	 
	Support for Windows 10 "Per Monitor V2" mode in application manifest and enhanced system metrics API support (requires Windows 10 Creator's Update, build 1703)	 	 
	High-DPI Awareness and 4K monitor support, plus Windows 8.1/10 multi-monitor support for VCL applications	 	 
	Custom VCL controls corresponding to some of the Windows 10 UI controls, which can also be used on previous version of Windows	 	 
	DatePicker and TimePicker VCL controls; StackPanel and CardPanel VCL controls	 	 
	ActivityIndicator, SearchBox, RelativePanel, ToggleSwitch, SplitView VCL control; modern looking SelectDirectory function	 	 
	CalendarView and CalendarPicker VCL controls	 	 
	VCL Font Scaling improvements for higher DPI and higher resolution monitors	 	 
	Updated Konopka Signature VCL Controls (over 200 additional Windows UI controls)* <i>* Available for download in the GetIt Package Manager (not for Community Edition)</i>	 	 
	VCL sensor components for Windows tablets	 	 
	VCL support for AppTethering across desktop and mobile FireMonkey applications written in Delphi, with Wifi and Bluetooth support with extensions and protocol enhancements, including encryption hooks, including events to handle when a profile is connected or disconnected	 	 
	Taskbar component with progress bars, overlay icons, custom buttons, and multiple previews; JumpList component for adding custom menus to taskbar buttons	 	 
	VCL Styles: Create VCL applications with enhanced GUI, with additional Windows 10 Styles for VCL and including Windows touch tablets optimized styles; support for styling of main menus, popup menus, and system menus	 	 
	Windows 10 specific VCL styles, to build applications matching Microsoft's Modern look and feel; Premium styles including TabletLight, Sky, and Glow VCL styles	 	 
	10 Premium VCL Windows styles* that users can apply to their Windows applications <i>* Available for download in the GetIt Package Manager (not for Community Edition)</i>	 	 
	Create your own custom styles with the VCL Style Designer	 	 
	VCL Styling improvements, including support for styling common dialogs and the TWebBrowser component	 	 
INTRODUCED IN 11 ALEXANDRIA	TRichEdit Component updated to RichEdit 4.1 (MSFTEDIT.dll) with support for transparency, URL detection, spell checking, text attributes and more	 	 
ENHANCED IN 11 ALEXANDRIA	Small enhancements to TMemo, TDBMemo, TGroupBox, TComboBox, TCoolBar, TNumberBox and other components.	 	 
INTRODUCED IN 11 ALEXANDRIA	TTreeView support for CheckBoxes	 	 
INTRODUCED IN 11 ALEXANDRIA	New TLabelDBEdit component, a data-aware version of the TLabelEdit component	 	 
	Integrated gesturing framework with multi-OS support for Windows 8. Gesture Designer enables full control of all gesture design and interaction; Gesture components (TGestureListView, TGesturePreview, TGestureRecorder) to build gesture	 	 





















	creation and management into VCL based applications; Interactive multi-touch gestures for pan, zoom, rotate, tap, double tap, tap and hold (requires multi-touch enabled OS)		
ENHANCED IN 11.3 ALEXANDRIA	TTouchKeyboard a virtual keyboard for enhanced non-keyboard interface interactions that support multiple locales and languages, enhanced with better VCL styling support	 	 
	Modern VCL Components: TCategoryPanelGroup, TButtonEdit, TLinkLabel, TBalloonHint	 	 
	Full support for PNG image format in TImage and TImageList	 	 
	TDBImage direct support for JPEG and PNG graphic formats	 	 
ENHANCED IN 11 ALEXANDRIA	Support for Windows Imaging Component (WIC) including JPEG, TIFF, GIF, PNG, BMP, and HD Photo image formats. RAW camera formats (such as NRW, NEF, CRW, CR2, RW2, ARW, SR2, SRF, ORF, PEF, and DNG) also supported with manufacturer supplied codecs. Now with multi frame support.	 	 
	Import Component wizard to import a type library, ActiveX control or .NET Assembly	 	 
	Component wizard to create the unit for a custom component	 	 
	Standard components including frame, edit, menu, button, label, checkbox, list box, combo box, panel and action list	 	 
ENHANCED IN 11 ALEXANDRIA	Additional components including graphical buttons, image, shape, scroll box, splitter, buttoned edit, tabs, panels, action toolbar, and color map	 	 
ENHANCED IN 11 ALEXANDRIA	Windows common controls including page control, image list, rich edit, progress bar, date time, calendar, toolbar, tree view and list view	 	 
	System components including timer, paint box, media player, OLE container and DDE	 	 
	Dialog components including open, save, open/save picture, open/save text, font, color, print, printer setup, find, replace and page setup	 	 
	Data Access Controls via datasource and the use of data-aware controls	 	 
	Data Controls including DBGrid, navigator, text, edit, memo, image, listbox, combo box, checkbox, radiogroup, lookup and rich edit	 	 
	TWebBrowser support, wrapped on the Microsoft IE ActiveX component (now also offering dual WebView 2 support)	 	 
	Task dialog component and enhanced Windows dialog components for file open and file save	 	 
<b>COM/DCOM SUPPORT</b>			
	Full COM/ActiveX support enabling transparent access to IDL and code, source control friendly, and allowing total control over implementation of COM and ActiveX objects; DCOM support	 	 
	Wizards support wrapping existing VCL components as ActiveX controls	 	 
	Import .NET assemblies as COM objects in Win32 VCL applications	 	 
	Legacy support for DataSnap/MIDAS COM/DCOM based multi-tier database application framework		 
	Advanced Type Library Editor that manages IDL, making COM development completely transparent; Support for Automation Object event handling	 	 
	Create reusable native 32-bit and 64-bit dynamically linked libraries (.DLL), COM controls (.OCX), and standalone COM executable	 	 
	COM Object Wizard; Microsoft ActiveX® Control Data binding; Import COM servers as components	 	 
<b>INTERNET OF THINGS (IOT) SUPPORT</b>			
	Native Bluetooth APIs (on platforms that fully support the technology) for FireMonkey and VCL applications	 	 
	Bluetooth framework improvements and TBluetooth component for classic Bluetooth	 	 
	Bluetooth LE component (on platforms that fully support the technology)	 	 





















































	Proximity support based on the “beacons” technology (including the iBeacon and AltBeacon standards) for all supported platforms	 	 
	Beacon enhancements with support for EddyStone format, change of AdvertiseData parser to include all fields, improved Beacon scan performance, Android scan modes, and WinRT Bluetooth API integration, StartScan method on Android. Android support is Delphi only	 	 
	TBeaconDevice class for turning a device on one of the supported platforms into a “beacon”	 	 
<b>VISUAL LIVEBINDINGS</b>			
	Optimized Visual Live Bindings RTTI integration for better performance	 	 
	VCL and FMX controls bound to a TDataSet and TField now respect some of the TField properties like Alignment, EditMask, DisplayWidth	 	 
	Visual LiveBindings Designer, to visually connect component properties and data	 	 
	Easily replace prototype data with real ClientDataSet data with one click	 	 
	Context sensitive LiveBindings Wizard supporting both dbExpress and FireDAC	 	 
	Support for QuickBinding components, ability to visually add and bind to additional component properties	 	 
	Color coded component properties easily identify bindable members	 	 
	Zoom control for Visual LiveBindings Designer and ability to save image of current LiveBindings Designer layout; Hide visual elements on right-click	 	 
	Integrated Layers Management system for LiveBindings Designer with Photoshop® like layers, allowing you to visually organize and hide set of elements in the LiveBindings Designer	 	 
	Tools Options support for LiveBindings Designer to show/hide certain components from the visual LiveBindings Designer view and enable/disable Wizard option in right-click menu	 	 
<b>INTEGRATED BUILD TOOLS AND PROJECT SUPPORT</b>			
	IDE support for building and managing projects for 32-bit and 64-bit Windows	 	 
	IDE support for building and managing projects for 64-bit Linux		
ENHANCED IN 11.3 ALEXANDRIA	IDE support for building and managing projects for 64-bit macOS, for Intel and ARM (M1), including universal binary generation, macOS App Store support and integrated Apple Notarization support updated in 11.3 to the new process Apple introduced in XCode 14		
	Flexible build system leveraging MSBuild with identical build process from the IDE or command line. Use MSBuild externally from the IDE to compile very large projects with the stand-alone Delphi and C++ compilers.	 	 
	The stand-alone Delphi compilers can use the large memory address space.		
	The IDE shows Header Dependencies when building with bcc32c		
	Define Android application settings, including supported orientations, and use the Entitlement lists to include advertising and notifications support in an app		
	IDE support for creating Android App Bundle (AAB) including both 32-bit and 64-bit binaries for store submission		
ENHANCED IN 11.1 ATHENS	Integrated installation of Eclipse Temurin JDK OpenJDK 17 (Hotspot) JVM, required by Android SDK tools		
ENHANCED IN 12.2 ATHENS	IDE support for adding Java classes to an Android app classes.dex library and customizing it. In 12.2 we added options to Compress Dex files and Compress native library files, configure targetSdkVersion of the Android manifest file, and added the ability to import Android libraries (.aar' files).		
	Support for Android Services in the IDE, including wizards to create Android Services and to add them to an existing Android app		
	JavaZOP (Java to Object Pascal bridge) API headers translation tool (for Android), improved to reduce dependency between units		











	SdkTransform tool to convert Objective-C / C++ headers to Object Pascal headers		
	Define info.plist application settings including supported orientations in the IDE		
	Deploy apps to the iOS Device (Debug/Ad Hoc/App Store), doing iOS device provisioning during the deployment process – including Auto Bundle identifier and support for executing an application from the IDE using the AdHoc target		
NEW IN 12 ATHENS	Single App Icon Wizard, a comprehensive tool integrated within the RAD Studio IDE, designed to streamline the process of generating icons and splash screens for user applications across the supported platforms	 	 
ENHANCED IN 12.1 ATHENS	Deploy apps to Android devices (Debug/Play Store). The process has been improved and optimized in 12.1, with the adoption of newer Android platform tools.		
ENHANCED IN 11 ALEXANDRIA	Platform Assistant for deploying and debugging across platforms, including an updated macOS client (Delphi only)	 	 
	Platform Assistant (PAServer) for Linux; Deployment Manager: Deploy to Linux		
	Platform Assistant Manager macOS tray app that helps managing multiple versions of Platform Assistant (PAServer)		
	Deployment Manager: Deploy to Windows	 	 
	Deployment Manager: Deploy to iOS, Android, macOS		
	Automatic inclusion of project files (like media files and resource files) to the Deployment Manager	 	 
	Project Manager view menu for directory (nested), directory (flat) and list view of files in a project and with an enhanced status bar for more file information.	 	 
	File manipulation and creation through the Project Manager facilities	 	 
ENHANCED IN 12 ATHENS	Delphi 1 through 11 project import and C++Builder 2007 through 11 project import	 	 
	Build Configurations provide flexibility to organize multiple build settings for all compiler, linker options, and platform support	 	 
	Named option sets to save and apply build configurations to any project; Share option-sets between build configurations and between projects	 	 
	Multi-select files in the Project Manager	 	 
ENHANCED IN 11 ALEXANDRIA	Build Events for pre-build and post-build on project and file levels. Enhanced with security warnings.	 	 
	Project dependency checking, Project level build ordering, Build/Make from here – Make or build current project and all later projects	 	 
	Additional command line tools include Microsoft Resource Compiler, TDump utility to structurally analyze EXE, OBJ, and LIB files, GREP tool, and MAKE tool	 	 

**RECENT C++ LANGUAGE AND CORE RTL FEATURES**









































































































ENHANCED IN 11 ALEXANDRIA	Win32 C++ Clang-enhanced compiler (with C++ 17 language support)		
ENHANCED IN 11 ALEXANDRIA	Win64 C++ Clang-enhanced compiler (with C++ 17 language support)		
NEW IN 12.1 ATHENS	New Win64 C++ Clang 15 compiler (This feature was available as a preview in 12.0)		
NEW IN 12.1 ATHENS	New Win64 C++ Clang 15 STL using libc++, plus new RTL, new C RTL, and new toolchain including LLVM-based linker (This feature was available as a preview in 12.0)		
NEW IN 12.2 ATHENS	New Win64 C++ Clang parallelised CPU-saturating batch compilation with -jobs		
NEW IN 12.2 ATHENS	New Win64 C++ Clang support for consumption and production of runtime packages		
ENHANCED IN 11 ALEXANDRIA	C++ runtime library (RTL) built with the updated Clang-enhanced compiler for Win32 and Win64, including 2018 edition of Dinkumware STL		
	Improved C++ and Delphi ABI and header compatibility	 	 
INTRODUCED IN 11 ALEXANDRIA	Improved C++ and Delphi code interoperability to assist using Delphi and C++ projects, including string_view support for Delphi strings, easy C++/Delphi string assignment, and string to/from conversion methods for common Delphi RTL types		


















ENHANCED IN 11 ALEXANDRIA	Support for using our C++Builder compilers to build CMake projects on the command line for Win32 and Win64, including deployment support		
	Improved optimizations for C++ Clang-enhanced compilers code generation (-O1 and -O2 and now also -O3 optimizations)		
	Simplified array initialization and construction for C++ Clang-enhanced compilers		
	The Clang-enhanced compilers are large-address aware and can take advantage of additional memory		
	Additional iterator wrappers over common Delphi RTL containers for all Clang-enhanced compilers for use with C++11 range-for loops and non-member std::begin() and std::end()		
	C++ functions for TPoint, TPointF, TRect, TRectF core types		
	#pragma once support that allows for better compatibility with MSVC and also acts as a header guard		
	[[deprecated]] attribute to flag constructs as deprecated		
	Secure C library functions		
Custom evaluators for C++ Strings types			
INTRODUCED IN 11 ALEXANDRIA	Using C++ smart pointers (std::make_unique and std::make_shared) on Delphi-style classes		
ENHANCED IN 11 ALEXANDRIA	C++ RTTI compatibility with Delphi, with C++-compatible RTTI generated for Delphi types, including using typeid() on Delphi types		
ENHANCED IN 11 ALEXANDRIA	Updated edition of the Dinkumware STL with C++17 headers for Win32 and Win64		
	ANSI/ISO standard library Technical Report 1		
	Optimized string/memory handling functions, improved standard C++ heap manager		
	UnicodeString class and Unicode character types char16_t and char32_t		
	Move semantics with rvalue references		
	Explicit conversion operators		
	Static assertions		
	Full type trait support		
	Extern templates		
	[[final]] and [[noreturn]] attributes		
	Decltype keyword		
	Linker error handling to improve memory management flexibility and resolution		
	Large-memory space support for C++ linker and improved resource handling to address heap errors		

**RECENT DELPHI LANGUAGE AND CORE RTL FEATURES**





















































NEW IN 12 ATHENS	Long string literals and multiline string literals, limited by triple quotes, to allow embedding of SQL, HTML, JSON, XML and similar text within an application source code		
NEW IN 12 ATHENS	Weak type alias definition for NativeInt, do help write code that works better across 32-bit and 64-bit compilers.		
NEW IN 12 ATHENS	Support for generating a GraphViz file with the uses unit graph, to help detect circular uses reference and visualize the overall structure of the dependencies across the modules of an application		
NEW IN 12 ATHENS	Support for NaN comparisons for floating point numbers, as required by IEEE 754		
INTRODUCED IN 11 ALEXANDRIA	Binary literals and digit separator support. Inline assembler support for AVX instructions (AVX-512)		

	Custom managed records with the ability to define custom Initialize, Finalize and Assign operations, executed when a record is allocated, de-allocated, and copied		
	Standard functions for low-level bit processing operations: CountLeadingZeros, CountTrailingZeros, CountPopulation		
	Inline variables declaration, supporting local scope, direct initialization, and type inference; inline constants declaration		
	Type inference for inline variable declarations (the type is inferred from the value assigned to the variable)		
ENHANCED IN 12 ATHENS	Support for calling WinRT APIs, with now over 50 specific Object Pascal interface units. The set of headers has been updated in 12		
	[Weak] and [Unsafe] support for interface references		
	[Volatile] attribute can be attached to a method parameters and local variables		
	Delphi compiler and linker performance improvements to improve compilation speed for generic methods and generic methods in standard classes		
	Improved initialization for dynamic arrays, support for mixing and matching constant and dynamic arrays		
	String-like operations on dynamic arrays including + operator concatenation, Insert and Delete		
	Class, record, and intrinsic types helpers		
ENHANCED IN 11 ALEXANDRIA	Predefined helpers for core types such as string, char, integer, other ordinal types, and floating point types. Now also for TDateTime and Currency data types.		
ENHANCED IN 11 ALEXANDRIA	RTTI for indexed properties and RTL support, plus invoking methods using open arrays		
	Reflection support for exposure of Methods, Fields, and Properties to support dynamic invocations and other meta-programming approaches (Enhanced RTTI)		
	Custom attribute support for most code elements – types, fields, properties, methods, and parameters		
	Generics with full RTL list and collection support		
	UnicodeString type as the default string type and support for Unicode char manipulation		
	Anonymous methods (or closures)		
	Compiler option to treat warnings as errors		
<b>SHARED RUNTIME LIBRARY FEATURES</b>			
	Unified memory management across all Delphi compilers and platforms, using classic Delphi memory management also for mobile (and Linux, since RAD Studio 10.3)		
	Delphi RTL for 64-bit Linux		
ENHANCED IN 11 ALEXANDRIA	Delphi and C++ RTL for 32-bit Windows and 64-bit Windows		
	Delphi and C++ packages support for 32-bit applications and 64-bit Windows		
	Support for Windows 10 Notifications using the NotificationCenter component		
	Support for Windows Store interaction via TWindowsStore component, with support for paid applications, paid add-ons, and trial mode		
	Support for contracts, the system mechanism for sharing information with other Windows 10 applications (apps can behave like <i>contract sources</i> ) using the SharingContract component		
	Parallel Programming library for easy development of asynchronous code and faster multi-core applications, without coding threads manually		
	System.Threading unit supporting parallel for loops, tasks scheduling and futures		
	Optimized Unicode strings handling in iOS and Android ARM compilers		
	Support for all classic string types (including UTF8String, ANSIStrng, and RawByteString) on iOS and Android		
ENHANCED IN 11 ALEXANDRIA	Delphi RTL for macOS 64-bit (Intel and ARM M1)		


















































































	Delphi and C++ RTL for iOS, iOS 64-bit API headers and RTL integration		
	Delphi RTL for 64-bit Android		
ENHANCED IN 12.1 ATHENS	Delphi and C++ RTL for Android, with support for Android API level 34, a coming Google requirement for the Play Store app submission. In recent versions, we added support for the new "AndroidX" libraries		
	DirectX 12 support on Windows	 	 
	OpenGL 4.3 support	 	 
	Enhanced compiler switches for XML representation of source code	 	 
	Extensible, cross platform, framework agnostic login credentials service	 	 
ENHANCED IN 11 ALEXANDRIA	Native zip file support. TZipFile class has a callback to use during the extraction process to know the current progress, support added to extract ZIP files with passwords. With Zip64 support and additional features.	 	 
ENHANCED IN 11.2 ALEXANDRIA	Regular Expressions (Regex) library, supporting PCRE UTF-16 on Windows. PCRE is now compiled with JIT enabled for faster regular expressions execution.	 	 
	Object-oriented path, file and directory I/O classes	 	 
	Buffered file read and write support, based on the TBufferedFileStream class, a high performance TFileStream descendant based on an internal configurable buffer	 	 
	TMemIniFile and TIniFile have Modified and AutoSave properties	 	 
	TStrings enhancements including properties IsUpdating, TrailingLineBreak, UseLocale, Options, plus overloaded TStringList constructors and AddPair fluent method	 	 
	StringReplace and Pos speed optimization	 	 
	Box2D physics engine, for manipulating on-screen objects according to the physics rules	 	 
	Object Pascal interfaces for the Box2D physics engine		
	TStringBuilder for easier and faster string concatenation, optimized and with flexible growth strategy	 	 
	JSON (JavaScript Object Notation) processing using a JSON.NET implementation for JSON streaming with readers and writers (including base TJsonReader and TJsonWriter classes)	 	 
	Specialized JSON readers and writers, including the TJsonTextReader and TJsonTextWriter classes, the TAsciiStreamWriter class, support for Extended JSON, better exception handling when reading not-well-defined JSON	 	 
	Binary JSON (BSON) readers and writers support, as part of the same JSON.NET architecture (including the TBsonReader and TBsonWriter classes)	 	 
	JSON and BSON fluent method builders, including the TJSONArrayBuilder and TJSONObjectBuilder classes	 	 
	JSON and BSON fast forward-only iterator (TJSONIterator)	 	 
NEW IN 12 ATHENS	New JSON mapping wizard, which can generate classes matching a JSON data structure and proper reading and writing code to read the JSON in a set of objects and stream it out to a new file		
ENHANCED IN 11 ALEXANDRIA	System.NetEncoding RTL unit for Web encoding and decoding (Base64, HTML, URL, Base64URL)	 	 
	System.Hash RTL unit, with hash functions to support the HTTP framework, now including also method for files hashing	 	 
	HTTP client framework, mapped to platforms libraries on all supported platforms, including also platform HTTPS support (with no need to deploy the OpenSSL library), with improved asynchronous support	 	 
ENHANCED IN 11 ALEXANDRIA	NetHTTPClient and NetHttpRequest components, offering easy access to the HTTP client framework, now with HTTP / 2 protocol version support	 	 
	Support for native HTTP(S) client libraries on Windows	 	 
	Support for native HTTP(S) client libraries on macOS, iOS and Android		

















































































	Support for native HTTP(S) client libraries on Linux		
	HTTP client library improvements including support for asynchronous HTTP requests, time-outs, and automatic decompression of gzip content	 	 
	Support for localized resources	 	 
	Expression evaluation in compiler directives	 	 
	Custom variants with support of your own data types, complex numbers, safe arrays, and passing variants through data sets; Variant support for Int64, unsigned types and Unicode strings	 	 



















































































































**INTEGRATED DEVELOPMENT ENVIRONMENT**

















ENHANCED IN 12.2 ATHENS	Editor split views: multiple editors side by side, above/below each other; split editors allow same file to be edited next to itself, keep both a design and a code view on screen	 	 
NEW IN 12 ATHENS	New UX for the feature installer, used for the initial product installation or to add additional features and platforms from the IDE. Includes extended logging and easier to access log files.	 	 
NEW IN 12.2 ATHENS	RAD Studio Focus Mode (aka 'zen mode') leaves the IDE with the editor(s) only, with reduced, essential-only UI, so you can avoid interruptions to your flow of thoughts, and do not become distracted by the many IDE panes and features	 	 
NEW IN 12.2 ATHENS	With scrollbar annotations, the editor scrollbar shows at a glance the sections of the code which have been modified, have bookmarks, have errors or warnings, and much more. This is powered by an OpenTools API and can be enhanced by developers.	 	 
NEW IN 12.2 ATHENS	Smart CodeInsight offers AI Powered Coding helpers. Smart CodeInsight is an open architecture for AI plugins. Smart CodeInsight UI elements in the IDE include a chat pane and an editor menu with direct commands on the selected code. Smart CodeInsight offers an OpenTools API and developers can write plugins for additional LLM engines and APIs.	 	 
NEW IN 12.2 ATHENS	Smart CodeInsight ready-to-use support for three online solutions (OpenAI, Gemini by Google, and Claude by Anthropic) and one offline solution (Ollama). AI plugins can be selectively enabled and configured in a specific Tools Options page, where you can also set the default plugin for the chat and the editor.	 	 
ENHANCED IN 11.3 ALEXANDRIA	The RAD Studio IDE is high-DPI enabled (using perMonitor v2 Windows configuration). All primary forms and panes have been enhanced, with new high-DPI enabled icons and toolbar button images, smooth IDE and editor fonts, and a full high-DPI experience. It remains possible to run the IDE in low-DPI, classic mode.	 	 
ENHANCED IN 11.3 ALEXANDRIA	Both the VCL and the FireMonkey designers have been enhanced to fully support designing applications in high-DPI. The VCL designer offers multiple configurations and options for improved compatibility.	 	 
ENHANCED IN 11.2 ALEXANDRIA	VCL styles preview in the designer offers the ability to design VCL forms using styles and enabling per-control and per-form styling. This feature is enabled by default.	 	 
ENHANCED IN 11 ALEXANDRIA	Code and design a form at the same time in multiple windows, including moving the designer between windows	 	 
INTRODUCED IN 11.3 ALEXANDRIA	The IDE title bar shows when the it is running elevated, as administrator	 	 
ENHANCED IN 11.2 ALEXANDRIA	Welcome Page with rapid access to commonly used features, including recent and favorite projects, GetIt and YouTube feeds, patches notifications. The layout of the Welcome Page is highly configurable, offers background images, and supports adding custom frames with a specific ToolsAPI.	 	 
INTRODUCED IN 11.2 ALEXANDRIA	IDE support for Markdown documents, including Markdown preview, and a VCL-based HTML preview (replacing the Internet Explorer based one)	 	 
INTRODUCED IN 11 ALEXANDRIA	FireMonkey designers guidelines and designer hints (component hints and position hints)	 	 
ENHANCED IN 12.2 ATHENS	New Delphi Code Insight implementation (based on the Language Server Protocol architecture, or Delphi LSP) for including Code Completion, Parameter Completion, Error Insight, Find Declaration, and Tooltip/Help Insight. Enhancements include support for include files, better lifetime management of the agent processes, numerous fixes, and increased performance. In 12.x, code completion again includes language keywords and code templates, the ability to customize the behavior of		



















	specific acceptance keys, while 12.2 has improvements in auto completion and navigating symbols in the class interface and forwarded type declarations.		
NEW IN 12.2 ATHENS	64-bit binary version of the Delphi LSP engine, to allow parsing a very large project with no memory constraints		
ENHANCED IN 11.3 ALEXANDRIA	Help Insight implementation, based on customizable XSLT and CSS configurations and displayed in a VCL-based HTML view		
ENHANCED IN 12.1 ATHENS	C++Builder integration of the Visual Assist, a plugin previously available only for Visual Studio, offering better Code Insight including code completion, code navigations and refactorings.		
NEW IN 12 ATHENS	Visual Assist features include finding where your code is used with Find References or Find Symbol, refactorings which assist maintenance and active development in code, and navigation including the Go To Related feature. See the Refactoring section for more information.		
INTRODUCED IN 11 ALEXANDRIA	C++ code formatter based on clang-format, including the ability to format as you type and several predefined formatting styles		
INTRODUCED IN 11 ALEXANDRIA	Support for using Delphi LSP in Visual Studio Code and other external editors	 	 
ENHANCED IN 11.2 ALEXANDRIA	Enhanced editor tabs, including the ability to use different, customizable colors for the tabs of files of different types and more options for the close button.	 	 
INTRODUCED IN 11.3 ALEXANDRIA	Editor ability to highlight matching words. This feature allows you to see instances of the same word you have selected, or the cursor is currently in, highlighted on the screen.	 	 
	Code editor status bar font zooming, syntax highlighter and file encoding selections	 	 
NEW IN 12 ATHENS	Syntax highlighting in many secondary windows, like Structure view, Error Insight messages, and Navigation toolbar.	 	 
	Modern IDE Title bar with integrated IDE desktop functionality (using the matching VCL control)	 	 
	IDE productivity tool: Bookmarks*, which extends the IDE's previous marking of locations in the code editor. <i>* Available for download in the GetIt Package Manager (not for Community Edition)</i>	 	 
	IDE productivity tool: Navigator*, which allows you to quickly jump to any location in your unit through intelligent search (for Delphi), and adds a minimap to the code editor. <i>* Available for download in the GetIt Package Manager (not for Community Edition)</i>	 	 
ENHANCED IN 11.2 ALEXANDRIA	Styled IDE UI, including ability to toggle and disable IDE styling and support for a dark style. The IDE has a Light theme based around the blue color, a Dark theme and a third Mountain Mist theme. Since 11.2 it's possible to also use a custom VCL style.	 	 
	Additional IDE Startup Layout for the Welcome Page, with the ability for users to change and set the layout they want to use for each layout, including Startup	 	 
INTRODUCED IN 11.1 ALEXANDRIA	The Messages view uses different colors for compiler errors, messages, and hints to better highlights issues (the colors can be customized)	 	 
	Delphi project option "Show general messages" to show info messages when building a project		
	Method Toxicity Metrics; Bookmarks stack, Selection Expansion		
	IDE built with large memory address model, to provide significantly more memory to the embedded compilers, integrated debuggers, and various tools executed in the IDE process	 	 
	Compiler unit caching mechanism, to free older units in case the available memory is being filled up, when compiling project groups with multiple projects	 	 
	Multi-monitor support in the IDE, with the ability to place most forms and panes on different secondary monitors	 	 
	Form designer option to hide/show non-visual controls icon (reducing form design potential clutter)	 	 
	Structure View Icons representing the corresponding component	 	 
	Unsaved file auto-recovery – unsaved work is periodically saved to a temporary location. If the IDE closes ungracefully (because of a system crash) the IDE will attempt to recover the user's unsaved work	 	 

	IDE Project Options to enable High-DPI Awareness in your applications, supporting several execution levels affecting the project manifest file on Windows	 	 
	Full customization of the Object Inspector layout, with the ability of hiding the description panel, the quick actions, and the filter panel	 	 
	Object Inspector contents can be filtered to display specific elements	 	 
	Shortcuts to increase/decrease the size of the font in the code editor	 	 
	GetIt Library Manager for easy discovery, download and update of source code libraries, components, and other features from Embarcadero GetIt servers*. * Use of GetIt requires Internet connectivity. The feature is not available to off-line developers. A small selection of packages is available as a separate download and can be installed using the GetIt Local Packages support.	 	 
ENHANCED IN 12 ATHENS	GetIt Library Manager with support for updates, sort by date, subscription only packages, cached images, and an updated UI. Enhancements in 11.2 included a filter by language and the introduction of Local GetIt Packages*. Further enhancements in 12 include the ability to load multiple GetIt packages* at once and better logging. * The use of Local GetIt Packages requires an active Update Subscription	 	 
	Configuration settings migration tool to migrate configurations of older versions of the product to a newer version, or between different installations of the same version	 	 
	Project statistics information for activity tracking and to better understand team productivity (optional and disabled by default)	 	 
	Multi-paste support to let you perform the same paste operation on multiple source code lines at once	 	 
ENHANCED IN 12 ATHENS	Structural highlighting ; Flow control highlighting, to visually see the flow jumps in your code directly in the editor; Code navigation toolbar with classes and methods combo boxes at the top of the editor, with an additional option to hide it		
	Support for adding database files and simplifying their deployment in the Project Manager	 	 
ENHANCED IN 11 ALEXANDRIA	Install experience based on the GetIt architecture; with the ability to select the platforms to install and add more platforms later from the IDE (which has a Platforms Manager option in the Tools menu). Recent features include upfront language selection and custom catalog repository folder, plus a faster parallel download and installation Supporting unattended, silent installation both in online and offline mode.	 	 
	A set of examples and demos to help new and existing developers get the most out of the environment	 	 
	Designer snapshots – copy form images to the clipboard	 	 
	IDE Insight, the fastest way to find and execute commands in the IDE with 1-button click also with object inspector property support	 	 
ENHANCED IN 11 ALEXANDRIA	Code Formatter and beautification for source code including block formatting	 	 
ENHANCED IN 11 ALEXANDRIA	Command-line Code Formatter for integration with automated build processes, enhanced in 11 Alexandria with clang-format support for C++	 	 
	Code Formatter profiles allow users to create / save / load custom formatter options sets		
INTRODUCED IN 11 ALEXANDRIA	.clang-format C++ code formatter configuration file support to automatically format code following the per-project convention used by many open source projects, plus a Embarcadero style		
	Search for Usages command available from the code editor and Delphi Class Explorer context menus		
	Compilation can be done in a background thread	 	 
	Support for C++ parallel building through batch compilation		
	Build a C++ project accelerated over multi-core with the TwineCompile addon * Available for download in the GetIt Package Manager (not for Community Edition)		





























	Checkbox for Boolean types in the Object Inspector greatly enhancing readability	 	 
	Class Explorer gives configurable hierarchical views of class libraries throughout the project. Also enables fast navigation to declarations and implementations, as well as easy addition of fields and methods.	 	 
	Resource Manager to simplify the addition of resources to projects	 	 
	Live Code Templates – dynamic scriptable templates streamlines coding complex and common structures and operations. Create or customize code templates and control the behavior, code generation, and user experience of your templates. Surround Templates that can wrap around selected code or text.	 	 
	Editor “Change Bar” indicates modified lines and saved modified lines	 	 
	“Smart” Block completion – anticipates and gracefully adds block closures as you type	 	 
	Virtual form positioner for VCL designer and FireMonkey designer	 	 
	Main toolbar with the addition of Run without Debug option	 	 
	Ability to run selected applications with either Run or Run without Debug from the context menu in the Project Manager	 	 
	Hot-key Tool Palette w/ Incremental search – find any component quickly	 	 
	Gallery in Tool Palette – find gallery wizards when you need them	 	 
	SyncEdit – block-edit multiple instances of a symbol simultaneously	 	 
	History Manager with automatic multi-level file backups, file differencing and restore	 	 
	Structure Pane that displays hierarchical view of source code and provides a VCL Object Treeview for quick navigation and manipulation of objects in the VCL designer	 	 
	Syntax Highlighting Open Tools API extension with built in support for JavaScript, PHP, and INI files	 	 
	Ability to individually customize editor options for particular file types	 	 
	Full-featured Open Tools API allows for customization of the IDE through wizards and experts, operate on projects and their various modules, access to the editor and designers, with improved style and theme support	 	 
<b>ENHANCED IN 12 ATHENS</b>	IDE ToolsAPI extended in 12.0 with direct access to editor content and more information about the editor display. Version 11.3 added support for painting in the code editor and highlighting elements of the source code, a new foundation allowing developers to customize the editor.	 	 
	Symbol Insight – click to navigate to declarations and implementations	 	 
	Code Folding configuration and properties	 	 
	Updated support for Code Completion for the C++ language, with asynchronous invocation support, based on the Language Server Protocol architecture		
	Custom IDE desktop layout profiles with enhanced support for docked windows	 	 
	To-do lists keep your development on track	 	 
	Help Insight – convenient tooltips provide help snippets as you develop	 	 
	English, German, French, and Japanese translations available for IDE menus and dialogs, compiled units, resources, and source code	 	 
	Easy switching between the available languages for the IDE menus, dialogs, and more	 	 
<b>SOURCE CODE MANAGEMENT</b>			
	Version Insight – Integrated framework for supporting source code management tooling inside the IDE	 	 
	Subversion integration into the IDE, including change list labels, SVN merge dialog, branches switching and more (requires a separately installed subversion client library)	 	 
	Subversion/History integration	 	 

	A full default Diff viewer	 	 
	Git version control integration into the IDE, including authentication, Push and Pull changes to and from remote repositories	 	 
	Mercurial version control integration into the IDE (supports cloning your remote repository, commit changes locally, show log data)	 	 
	Version Insight also available as an open source project	 	 




































































































**REFACTORINGS**








































































































ENHANCED IN 12.1 ATHENS	Rename Refactoring across code and designers for C++, provided by the integration of Visual Assist		
NEW IN 12.2 ATHENS	Three new refactorings powered by Visual Assist: Introduce Variable, Create From Usage and Extract Method.		
NEW IN 12 ATHENS	Find References, provided by Visual Assist. Configurable Find References granularity: entire project group, current project, or the current unit		
NEW IN 12 ATHENS	Create Declaration and Create Implementation, to automatically create the matching method declaration or empty method implementation when only one is defined. Provided by the integration of Visual Assist		
NEW IN 12 ATHENS	Add Include: adds the #include statement to include the header for a type used in code, for both user headers and system headers. Provided by the integration of Visual Assist		
	Prototype synchronization – as you change the prototype for a function, you can use this Change Params to synchronize the interface and implementation sections to match		
	Extract Method refactoring, Rename refactoring across code and designers, Find References		
	Delphi Declare variable, Declare field, Extract to resource string refactorings		

**SEARCH AND NAVIGATION**

	Find and Replace inline in the code editor, including incremental search	 	 
	Find in Files, with the ability to search using a search term, including optional case sensitivity or for whole or partial words, or a regular expression across the current file, files in the project, project group, open files, or folders	 	 
	Find Declaration: go to the declaration of a type or method		
NEW FOR C++ IN 12 ATHENS	Go To Interface and Go To Declaration: navigate to the declaration or implementation of a method, including quick toggle shortcut Ctrl+Shift+Up/Down. For C++, provided by the integration of Visual Assist	 	 
NEW IN 12 ATHENS	Go To Member, to search and navigate through the member fields, methods and properties of a type, including of the type of a variable. Provided by the integration of Visual Assist		
NEW IN 12 ATHENS	Find Symbol, to find any symbol defined in the project group and any headers including system and platform headers it includes. Provided by the integration of Visual Assist		
NEW IN 12 ATHENS	Go To Related: for #include files, to list and navigate to the headers included by the header in question, or the headers that include the header in question, as well as opening the file or showing it in Explorer. Provided by the integration of Visual Assist		
NEW IN 12 ATHENS	Go To Related: for types, list and navigate to the ancestor base classes, or derived descendant classes; go to the constructor, type definition, or type declaration; or go to member. Provided by the integration of Visual Assist		
NEW IN 12 ATHENS	Go To Related: for methods, go to the base / ancestor methods a virtual method overrides, or the descendant derived methods that override a virtual method; go to type member. Provided by the integration of Visual Assist		
NEW IN 12 ATHENS	Go To Related: for variables / parameters: go to the declaration of the symbol's type, including portions of the type such as template and template parameter; go to type member. Provided by the integration of Visual Assist		
NEW IN 12 ATHENS	Go To Related: similar features for macros and properties defined using the __property keyword, including going to ancestor and descendant property redeclarations. Provided by the integration of Visual Assist		


























































INTEGRATED DEBUGGING

ENHANCED IN 12 ATHENS	Full-featured debugger with color syntax highlighting for the call stack, debugger tooltips and other views	 	 
	Debug remote and local 64-bit Windows applications	 	 
ENHANCED IN 12.2 ATHENS	Debugger for C++ for Win64, based on LLDB, including formatters to evaluate common complex types like UnicodeString and AnsiString, C++ strings, vectors, deque, and more		
ENHANCED IN 11.3 ALEXANDRIA	Debug remote macOS 64-bit applications (Intel and ARM). The Delphi macOS 64-bit ARM debugger is based on the LLDB debugger architecture, and in 11.3 the Delphi macOS 64-bit Intel debugger uses LLDB as well.		
ENHANCED IN 11.2 ALEXANDRIA	Remote iOS 64-bit device debugging (excluding iOS 17 devices, where debugging is currently unavailable)		
INTRODUCED IN 11.2 ALEXANDRIA	Debugging of apps on iOS Simulator on ARM 64-bit macOS (based on LLDB debugger architecture)		
ENHANCED IN 11.1 ALEXANDRIA	Debug Android 64-bit apps on device. The Delphi Android 64-bit debugger is now based on the LLDB debugger architecture,		
ENHANCED IN 11.2 ALEXANDRIA	Remote Linux 64-bit debugging. The Delphi Linux 64-bit debugger is now based on the LLDB debugger architecture,		
	Improved debugging support for Clang-enhanced C++ compilers for Win32		
ENHANCED IN 12.2 ATHENS	Debugging support for the Clang 15 Win64 C++ compiler, with support for PDB debug info		
	Support for Delphi Unicode string evaluation, for evaluating properties and variants and function call support when debugging iOS64 applications		
	CPU View support for iOS and Android application debugging along with support for Delphi Dynamic Arrays		
	Debugging visualizers to enable extended views of debugging data, enhanced with support for Delphi generics and C++ templates	 	 
	Build debugger visualizers for your own custom data types	 	 
	Debug visualizer for TStrings, TDateTime, TDate, and TTime types	 	 
	Detach from “Debug session in progress. Terminate?” dialog	 	 
	Multi-threaded-debugging the ability to selectively “Freeze” and “Thaw” threads	 	 
	Multi-threaded-debugging the ability to set a breakpoint for a selected thread	 	 
	Support for Wait Chain Traversal on Windows	 	 
	Disassembly pane has “Show Opcodes” and “Show Addresses” local menu items	 	 
	Debugger Options: “Scroll new events into view” and “Ignore non-user breakpoints”	 	 
	Call Stack View shows a glyph indicating if the frame has debug info	 	 
	CPU view panes can be opened individually outside of an editor tab	 	 
	Integration between debugger views and panes making it easier to find and understand information	 	 
	Call Stack view automatically syncs the Locals view when you double click an item	 	 
	Evaluator tooltip hints go transparent when the CTRL key is pressed, allowing you to see through them to the editor	 	 
	Expandable tooltip expression evaluation	 	 
	Expandable watches and local variables view	 	 
	Selective symbol table loading	 	 
	Close implicitly opened files after debugging	 	 

































































































	Multi-select and copy to clipboard support in CPU view	 	 
	Ctrl-Click in editor gutter to enable/disable breakpoints	 	 
	Sort by load order in Modules view	 	 
	Set Next Statement local menu item in editor	 	 
	Exception notification dialog: Break/Continue buttons, "Ignore exception type" checkbox	 	 
	Thread view displays status on all processes and threads under debugger control. Multi-Process debugging for easy tracing through complex applications. Debug spawned processes	 	 
ENHANCED IN 11.2 ALEXANDRIA	CPU view for low-level debugging. Starting with 11.2, the CPU View offers syntax highlighting	 	 
	Breakpoint view with toolbar, in-place editing, and enable/disable checkbox. Breakpoint Data Aware Triggers. Advanced breakpoints with Tooltips, actions, and groups for complete debugging control	 	 
	Watch view supporting in place editing, checkbox enable/disabling, and the watch names separated from the values with columns	 	 
	Multi-tab watch view for logically grouping variables	 	 
	Attach to and debug any process, detach from any process	 	 
	Run until return	 	 
	Debug Inspector for easily monitoring properties while debugging	 	 
	Event log view	 	 
<b>INTEGRATED UNIT TESTING</b>			
	Integrated unit testing with the DUnitX testing framework		
	DUnitX unit testing support for mobile platforms (iOS and Android)		
	DUnitX unit testing support for Linux		
	Runtime support for the DUnit testing framework	 	 
	Unit test wizards for quick and easy unit test and unit test project creation		
	Execute unit tests from project manager	 	 
<b>INTEGRATED HELP</b>			
	Support for CHM help engine and updated IDE help structure	 	 
ENHANCED IN 12 ATHENS	Continually updated help system with diagrams showing class hierarchy and declared members pages	 	 
ENHANCED IN 12 ATHENS	Online documentation available at <a href="https://docwiki.embarcadero.com/">https://docwiki.embarcadero.com/</a>	 	 
<b>DATABASE APPLICATION DEVELOPMENT AND CONNECTIVITY</b>			
	Powerful cross-platform and multi-database DB access architecture, based on TDataSet class, field definitions, fields and parameters managements	 	 
	Support for multiple TDataSet descendant classes shipping with the product or available from third-party vendors	 	 
	Support for display options for BlobFields	 	 
	Direct GUID access for TField classes	 	 
	Control of the automatic and persistent fields of a data set using the FieldOptions and FieldLifeCycle features.	 	 



































































FIREDAC MULTI-DEVICE DATA ACCESS LIBRARY <sup>2</sup>














































	Desktop platforms enterprise database support, including MySQL, MariaDB, Microsoft SQL Server, Oracle Database, InterBase, PostgreSQL, Informix, Sybase SQL Anywhere, Microsoft Access, IBM DB2 Server, Firebird, Advantage Database, generic ODBC driver		 
	Support for local databases, including Microsoft Access database, SQLite and MariaDB database, IBToGo / IBLite, InterBase on localhost, MySQL Embedded, MySQL Server on localhost, Advantage Database local engine, PostgreSQL on localhost, Firebird Embedded, Firebird on localhost <i>Some features in this table marked as <sup>2</sup> are limited to local connections in Professional and Community Editions</i>	 	 
	Linux enterprise database support, including MySQL, MariaDB, Microsoft SQL Server, Oracle Database, InterBase, PostgreSQL, Sybase SQL Anywhere, IBM DB2 Server, Firebird, Advantage Database, MongoDB, generic ODBC driver. Includes also support for local databases like SQLite database and IBToGo / IBLite.		
NEW IN 12 ATHENS	FireDAC support for the classic QBE mode (Query-By-Example), making it easier to let customers create database table filters	 	 
NEW IN 12 ATHENS	FireDAC configuration (TFDSecurityOptions) to help developers improve database application security with options to filter allowed SQL command kinds, disable single SQL statements with multiple commands, disable dynamic changes to SQL statements, and verifying operations affect only one row.	 	 
ENHANCED IN 11.2 ALEXANDRIA	Improved FireDAC's FDMonitor and FDEplorer tools	 	 
ENHANCED IN 12 ATHENS	iOS and Android mobile database support, including SQLite, IBToGo and IBLite. IBLite is not available also in the iOS Simulator		
ENHANCED IN 11.2 ALEXANDRIA	FireDAC Microsoft SQL Server driver, with support for the latest Microsoft ODBC Driver for SQL Server (version 18)		 
ENHANCED IN 11.1 ALEXANDRIA	FireDAC MySQL driver, supporting MySQL v 8.0 and MariaDB v 10.6, MySQL Prepared Statements API, internal BLOB streaming	 <sup>2</sup>  <sup>2</sup>	 
	FireDAC ODBC driver 13, with support for data type mapping by data type name		 
ENHANCED IN 12 ATHENS	Updated FireDAC SQLite driver with support for version 3.42 while maintaining the option of using SQLite 3.31.1 with FireDAC encryption (FDE). Offers both static and dynamic linkage of SQLite engine. Includes support for SQLite SEE.	 	 
	FireDAC InterBase with support for TRUNCATE command, transaction wait time and little/big endian configuration in connection parameters, which adds to the support for querying the database service manager, real BLOB streaming and array data type	 <sup>2</sup>  <sup>2</sup>	 
ENHANCED IN 11 ALEXANDRIA	FireDAC Oracle driver to support v 19c and 128-character parameter names for Oracle Stored Procedures. Previous updates included, among many features, support for VARCHAR2, NVARCHAR2, and RAW data types up to 32K, native BOOLEAN in PL/SQL, 64-bit integers and unsigned INTs, identity / auto-increment columns, query change notifications, implicit ROWID fetching, implicit results, additional connection modes, network timeouts, and transaction state detection and synchronization.		 
	TFDOracleAdmin service component		 
	FireDAC Advantage driver with support for version 12 features like GUID data type, backup archive, default values phrase; improved support for encrypted tables, improved TFDADSUtility component	 	 
	FireDAC DB2 driver, with support for DB2 on AS/400, IDENTITY columns, and a connection definition parameter		 
ENHANCED IN 12.1 ATHENS	FireDAC Firebird 5 driver. Includes with VendorHome driver configuration, support for Firebird embedded and local connection protocol, FB\$OUT package, long statements, little/big endian configuration, Firebird 4 data types, FDFBBackup parallel operations for Firebird 5.	 <sup>2</sup>  <sup>2</sup>	 
ENHANCED IN 12.1 ATHENS	FireDAC PostgreSQL driver for PostgreSQL up to version 16. Past updates included PostgreSQL 15 specific performance improvements. support for PostgreSQL Stored Procedures, identity columns, macaddr8, password encryption and little/big endian configuration in connection parameters	 <sup>2</sup>  <sup>2</sup>	 
	FireDAC SQL Anywhere driver, with support for ToolHome property and FDEventAlerter		 

























































<sup>2</sup> Some features are limited to local connections in Professional and Community editions





Updated FireDAC Informix driver with support for retaining update locks and pessimistic locking, plus ISAM error codes		 
Complete FireDAC support for the NoSQL MongoDB database, including a FireDAC MongoDB driver, with TimeZone connection parameter		 
MongoDB API wrapping classes, including TMongoConnection, TMongoDatabase and TMongoCollection		 
MongoDB query, pipeline, update commands, with fluent methods builders		 
MongoDB specific datasets, including TFDMongoDataSet (which allows to attach dataset to MongoDB cursor), TFDMongoQuery (which allows to execute queries to MongoDB collection) and TFDMongoPipeline (which allows to execute pipelines to MongoDB collection), and TMongoDocument Iterator method to iterate through document items		 
FireDAC Teradata database support, based on the Teradata database ODBC driver		 
FireDAC support for InterBase Change Views	 2  2	 
FireDAC support for change notifications, with additional support for Oracle and MongoDB databases		 
Tools and scripts to help migration of dbExpress code to FireDAC	 	 
FireDAC streaming support for blob fields and support for MSSQL file streams		 
Support for DBMS API command native timeouts	 	 
FireDAC connection parameters are now displayed in the Object Inspector as a record	 	 
IBLite specific FireDAC driver for desktop and mobile (Delphi only)	 	 
InterBase encryption connection options	 	 
Windows and macOS (Delphi only) native driver for Informix database		 
Source code of the included database drivers		 
Comprehensive support for SQLite v3.+ database, including "smart" data type recognition, supporting both dynamic and static linking	 	 
FireDAC ETL support (Batch move) with optimization and extension of the TFDBatchMoveSQLWriter component, with support for MERGE / INSERT OR REPLACE commands and for dmAppend, dmUpdate, dmAppendUpdate modes. Features the JSON Writer support added in 10.2.2.	 	 
Easy to use TDataSet descendant classes	 	 
Unified Data Access API	 	 
FireDAC cached updates mode, offering AutoCommitUpdates property and compatibility with ClientDataSet	 	 
FireDAC clients for DataSnap		 
High-performance in-memory dataset	 	 
FireDAC complete source code, including drivers source code		 
Live Data Window mode enabling fast bi-directional navigation through large datasets	 	 
Array Data Manipulation Language (DML) command execution and Command Batches for batch applications and for minimizing network traffic	 	 
Direct support for asynchronous command execution, command execution timeout, and command execution canceling	 	 
Cached updates mode with ability to track correlated changes for several datasets with cascading updates	 	 
Full support for auto-incrementing fields, including those based on generators and table triggers	 	 
SQL dialect abstraction through FireDAC escape sequences, conditional statements and macros	 	 

	Data type unification with flexible and adjustable data type mapping	 	 
	Easy to use TFDMemTable - in-memory dataset, highly compatible with TClientDataSet, now including optimized JSON serialization and the ability to edit the dataset data at design time	 	 
	DataSnap client support for HTTP, HTTPS and TCP/IP protocols and authentication		 
	Local SQL with heterogeneous SQL commands to TDataSets, full SQLite SQL dialect support, ad-hoc TDataSet lookup	 	 
<b>OTHER DATABASE TECHNOLOGIES</b>			
	TClientDataset for managing and manipulating datasets in-memory for Windows	 	 
	ClientDataSet support for 64-bit Linux		
	ClientDataSet support for 64-bit macOS, iOS, Android		
	LiveBindings connect any type of data to any UI or graphical element in VCL and FMX	 	 
	dbGO™ for ADO connectivity for Windows (MDAC 2.8)	 	 
	InterBase Express (IBX) Components for Windows	 	 
	InterBase Express (IBX) Components support for iOS and Android		
<b>WEBBROKER AND WEBSTENCILS</b>			
	WebBroker library for HTTP servers development and integration, supporting CGI, ISAPI libraries for Microsoft IIS, Apache HTTP server modules, and native HTTP servers based on Indy library	 	 
	WebBroker deployment support in Linux, as stand-alone or Apache modules		
INTRODUCED IN 11.1 ALEXANDRIA	WebBroker deployment support for Android		
NEW IN 12.2 ATHENS	WebStencils server-side script-based integration and processing of HTML files, to develop modern websites based on any JavaScript library, powered by the data extracted and processed by a RAD Studio server-side application. This is a new, sophisticated architecture introduced in RAD Studio 12.2	 	 
NEW IN 12.2 ATHENS	Use the WebStencils components, TWebStencilsProcessor and TWebStencilsEngine, to customize the template engine, control the file locations and the URL mapping, define URL parameters, and pass objects, datasets and collections to the scripts. The TWebStencilProcessor component implements the same interface of the old TPageProducer used in WebBroker and DataSnap and can replace it	 	 
<b>RAD SERVER <sup>3</sup></b>			
ENHANCED IN 11.2 ALEXANDRIA	RAD Server turnkey REST based middleware stack that includes API hosting, data access, and SQL Database access, with significantly optimized performance <sup>3</sup>		 
INTRODUCED IN 11 ALEXANDRIA	Freely, unlimited distributable*, limited-bandwidth, easy-to-deploy RAD Server Lite version (based on embedded InterBase ToGo database) <i>*Requires a free to redeem license key</i>		 
NEW IN 12 ATHENS	The RAD Server engine is built with the FastMM5 memory manager, which improves performance, specifically in heavy multithreading scenarios.		 
NEW IN 12.2 ATHENS	WebStencils integration in RAD Server by combining the existing TEMSFileResource component with a TWebStencilsEngine component		 
	Build, test and deploy RAD Server packages on Linux		
	Create custom REST APIs for your business functionality and map them to custom URIs, using loadable packages for RAD server		 
	Integrated with FireDAC high-performance enterprise data access for Oracle, DB2, Microsoft SQL Server, Informix, SQL Server, and many more database servers		 










































<sup>3</sup> Enterprise editions include free RAD Server Lite (RSLite) deployment and a single site RAD Server deployment license, while Architect editions include a multi-site deployment license

	EndpointProduce attribute to map MIME types (from Accept HTTP request header) to GET endpoints; EndpointConsume attribute to map MIME types (from Content-Type HTTP request header) to PUT, POST, PATCH endpoints	 
NEW IN 12 ATHENS	Ability to easily support a smart ID model (squids), using a standard library to define better identifiers for resources exposed by the server.	 
	HTTP Verb to Custom Method Name Mapping	 
	Ability to Delegate Processing of a Request to a Custom Class or Component (sharing response processing code)	 
	TEMSFileResource and TEMSDataSetResource components for an extremely simplified implementation of RAD Server endpoints mapped to file system folders access and database tables and queries access, including support for paging and sorting	 
INTRODUCED IN 11 ALEXANDRIA	TRESTRequestDataSetAdapter component to simplify uploading a TDataSet (like a TFDMemTable) to a server via JSON -- for use with the TRESTResponseDataSetAdapter component on the server side	 
	FireDAC database connection wizard, for generating a properly configured TEMSDataSetResource components mapped to queries for one or more selected database tables	 
ENHANCED IN 11 ALEXANDRIA	RAD Server (EMS) multi-tenancy support and console app for managing tenants configuration (on Windows and Linux)	 
	RAD Server File Dispatching and multipart/form-data support	 
	RAD Server Console UI redesign and migration to the Ext JS library	 
	EMS Push Notifications server support for iOS and Android (updated to Firebase)	
	EMSClientAPI component to simplify EMS client side development	 
	User, groups, sessions, and API calls analytics and reporting using a web based interface using the EMS Console (eventually filtered by tenant)	 
	Available RAD Server Console (RSConsole.exe) client application to manage user accounts, edit the local configuration and run REST debugger-based requests against a RAD Server instance	 
	ThingPoint provides developers with an enterprise access point between remote gadgets and devices; a ThingPoint can locally store, filter, and compute vast amounts of IoT data collected at the edge, while ensuring only critical data is synched with the central repository, a RAD Server	 
ENHANCED IN 12.2 ATHENS	Support for declaring and retrieving EMS metadata, based on the Swagger open API initiative ( <a href="http://swagger.io">http://swagger.io</a> ). This allows the use of the metadata language as YAML or JSON for the representation of the EMS REST API. Initial documentation generation is optional on the RAD Server module wizard. 12.2 adds support for custom metadata in Swagger and API filtering.	 
	Installers to deploy the RAD Server engine and all of the required files to Windows and Linux servers (Delphi only)* <i>* Available for download in the GetIt Package Manager</i>	 
	Support to deploy Delphi Linux applications in general and RAD Server applications in particular to Docker. <i>* Available for download in the GetIt Package Manager</i>	
<b>DATASNAP MULTI-TIER</b>		
	Create multi-tier database applications with DataSnap for Windows servers	 
	Create multi-tier database applications with DataSnap for Linux servers	
	Deploy DataSnap servers on Microsoft IIS server (HTTP or HTTPS) using the WebBroker architecture	 
	Deploy DataSnap servers on Apache HTTP server (using HTTP or HTTPS) using the WebBroker architecture. For Delphi available also on Linux.	 
	DataSnap clients uses System.NET for HTTP and HTTPS, with no need to deploy the OpenSSL client library (now both for REST connections and HTTP connections)	 
	DataSnap server methods support TDBXJSONStream parameter for passing JSON streams between client and server	 

































INTRODUCED IN 11 ALEXANDRIA	The REST URI is configurable using a new mechanism, based on a TDSMethodMapEvent event		
	HTTPS support in stand-alone DataSnap Applications		
	DataSnap server ability to terminate socket connection. Communication Timeout for HTTP protocol		
	Specific DataSnap support for exposing FireDAC datasets and reconciling changes using deltas (with the unit FireDACJSONReflect), with data compression for better throughput optimization		
	Heavyweight callbacks support broadcasting to specific callbacks. Callback channel events for servers and clients. DataSnap REST server support for multiple Callback Tunnels		
	Authentication and role-based authorization.		
	Session Events for TCP/IP Protocol, Object support in DataSnap sessions		
	Monitor and control connections		
	DataSnap REST client connection (TDSRestConnection), for all platforms, with SecureProtocols property		
	Allow query parameters in REST calls and store them		
	Proxy information support for HTTP connections		
	Session events for increased simplicity of a multi-tier implementation		
	DataSnap wizards from the Object Gallery to make server and client creation even easier. DataSnap wizard source code enabling developers to build their own DataSnap server wizards		
	Added support for REST(ful) interface and exposure from the Server and REST client proxy generation		
	DataSnap Server Proxy generation for Object Pascal and C++ clients		
	Support for HTTP and HTTPS communication protocol beyond the local DataSnap (TCP/IP) approach; Added HTTP tunneling support for client code outside the firewall		
	Added Filter support for encryption and compression over-the-wire		
	Included encryption PC1 and compression filters now included for quick enablement.		
	Lightweight Callbacks		
	Windows 32-bit and 64-bit native (DBX) clients and REST clients		
macOS REST clients			
REST / JavaScript client support for browser platforms			
<b>INCLUDED DATABASE TOOLS AND DATABASE ENGINES</b>			
	Data Explorer support for FireDAC, optimized to add and manage database connections and browse database schema, including primary keys, foreign keys and sequences or generators		
	Data Explorer optimized to add and manage database connections and browse DB schema		
	Drag and Drop from FireDAC nodes and dbExpress nodes in the Data Explorer into forms and data modules to speed development		
	Direct SQL manipulation for any FireDAC connection		
ENHANCED IN 12.2 ATHENS	InterBase 2020 Update 6 Developer Edition – up to 20 users and 80 logical connections		
ENHANCED IN 12.2 ATHENS	IBLite 2020 Update 6 for Windows with unlimited deployment license		
ENHANCED IN 12.2 ATHENS	IBLite 2020 Update 6 for macOS, iOS, and Android, with unlimited deployment license		
ENHANCED IN 12.2 ATHENS	Free InterBase ToGo Deployment License for mobile platforms. A yearly subscription for unlimited deployment across desktop and mobile is available as a separate purchase.		

ENHANCED IN 12.2 ATHENS	IBConsole, the integrated InterBase configuration and management tool, recently updated to HighDPI and with an improved UI	 	 
----------------------------	--	---	---





























**CLOUD SUPPORT**

ENHANCED IN 12.2 ATHENS	AWS SDK for Delphi by Appercept*, with support for multiple AWS services, continually expanded over time <i>* Available for download in the GetIt Package Manager (requires an active Update Subscription)</i>		
	Windows Azure components including AzureConnectionString, AzureBlobManagement, AzureQueueManagement, and AzureTableManagement	 	 
	Ability to manipulate Windows Azure blobs, queues, and tables	 	 
	MetaData support for TAzureQueueManagement	 	 
	ContinuationToken support for Azure Table	 	 
	Azure support updated to the current Azure APIs	 	 
	Amazon Simple Storage Service (S3) API	 	 
	Amazon Queue Service API	 	 
	Amazon SimpleDB API	 	 
	AWS support updated to the current AWS APIs and a more flexible support for regions	 	 
	Deploy to Amazon EC2 and Windows Azure	 	 







**REST CLIENT LIBRARY AND BAAS**

	REST Client Library for simplified invocation of REST services, with improvements in MIME types handling, properties (RedirectsWithGET and SecurityProtocols) and events (OnNeedClientCert and OnAuthEvent)	 	 
ENHANCED IN 11.3 ALEXANDRIA	Authorization support including Basic Authentication, Plan Authentication, OAuth1, OAuth2. OAuth2 enhanced with automatic token refresh	 	 
	TRestClient, TRestRequest, and TRestResponse components	 	 
ENHANCED IN 12.1 ATHENS	REST Debugger tool for testing REST calls and their parameters. Offers a new option to copy values from the data grid preview.	 	 
	Enhanced REST Request parameters, with support for list parameters, parameters streaming, query parameters for all request methods, content body access	 	 
	JSON reader and writers used in the REST client library	 	 
	Backend as a Service (BAAS) architecture, with unified interfaces for the most common operations like user management, file storage, objects storage, and notifications support	 	 
	Integrated BaaS support for Kinvey and the Parse API	 	 





























**XML AND SOAP**

	TXMLDocument component working on all platforms	 	 
	TXMLDocument component support for MSXML on Windows; native OmniXML library and native ADOM library on other platforms	 	 
	Easier selection of the default XML engine for XML data processing	 	 
	Easily create Win32, Win64 SOAP Web Services	 	 
	Build client-side SOAP Web Services, including support for SOAP 1.2 clients and mobile platforms	 	 
	SOAP clients use the HTTP client library, with full support for the native SSL layer on each platform (with improved support for client certificates)	 	 
	WSDL External Schema support		 
	XML Transformation Tools and Components to exchange data between XML and datasets		 







































Native Object Pascal and C++ XML bindings to simplify XML programming – access XML documents using interfaces		 
SOAP runtime support for optional and unbounded elements	 	 





















**ADDITIONAL AND THIRD PARTY INTEGRATED TOOLS**  
**FILE COMPARE WITH BEYOND COMPARE TEXT COMPARE**

Beyond Compare Text Compare integration	 	 
Compare and edit the contents of files with syntax highlighting, ignore changes in whitespace and comments	 	 
Print reports of differences or save them as HTML or plain	 	 
Filter display to only show differences, optionally with a few lines of context	 	 
Built-in support for Object Pascal, C++, HTML, DFMs, and more	 	 
Adds a “Compare” menu to the IDE’s “Edit” menu and Project Manager, with commands to compare against previous revisions, other editor tabs, and original files	 	 
Automatically configured for both differences and merges from the History view	 	 









**LOGGING WITH CODESITE EXPRESS**

ENHANCED IN 11.2 ALEXANDRIA	Raise Software CodeSite Express integration provides advanced application logging and debugging capabilities* * Available for download in the GetIt Package Manager (not included in Community Edition)	 	 
	Log all kinds of information without data conversions including strings, numbers, dates & times and even objects, string lists, exceptions, and much more	 	 
	Log information from application code (including recursive functions and multiple threads) without interrupting program execution or causing side effects	 	 
	Emphasize important logging information through a variety of message types	 	 
	Send logging messages to a CodeSite Log File for later review or to the CodeSite Live Viewer for real-time analysis, or to both simultaneously	 	 
	Utilize the extensive analysis tools in the CodeSite Viewers to analyze message logs and locate problem areas faster	 	 
	Filter message logs by application name, process id, thread name, computer name, category, and message text	 	 
	Quickly organize the message log into multiple views by using the advanced CodeSite Message Organizer	 	 
	Control the amount of logging information generated by using additional CodeSite loggers with their own Category instead of relying on arbitrary logging levels	 	 







**IP\*WORKS! COMMUNICATION COMPONENTS**

The full version of /n software’s IP*Works! Components – A comprehensive suite of components for Internet communications including more than 40 individual components covering every major Internet Protocol* * Available for download in the GetIt Package Manager (not included in Community Edition)	 	 
Royalty free commercial components for Internet development including ATOM, CalDAV, FileMailer, FTP, HTMLMailer, HTTP, ICMPPort, IMAP, IPDaemon, IPInfo, IPMonitor, IPPort, JSON, LDAP, Mcast, MIME, MX, NetClock, NetCode, NetDial, NNTP, Ping, POP, RCP, REST, Rexec, Rshell, RSS, SMPP, SNPP, SOAP, Syslog, Telnet, TFTP, TraceRoute, UDPPort, WebDav, WebForm, WebUpload, Whois, XMLp, and XMPP	 	 
Components are easy to use, with a uniform, intuitive, and extensible design; share common interfaces across platforms and technologies	 	 
Components are fast, robust, and reliable with minimal resource consumption; lightweight and have no dependencies on external libraries	 	 
Detailed reference documentation, hundreds of sample applications, fully-indexed helps files, and an extensive online knowledge base	 	 















**ADDITIONAL COMPONENTS**

UPDATED IN 11.3 ALEXANDRIA	TeeChart Standard components including chart, DBchart, and a rich set of different business graph types.	 	 
ENHANCED IN 12.2 ATHENS	In addition, we offer a number of exclusive components in the GetIt Package manager, for Dephi and / or C++. You can check <a href="https://getitnow.embarcadero.com/">https://getitnow.embarcadero.com/</a> to see what is currently available (some of the exclusive items might be limited to higher end SKUs)	 	 

**SENCHA EXT JS PROFESSIONAL EDITION**

Ext JS HTML5/JavaScript (Framework and UI Component Library) - Pro Edition	 
Cmd: Build Optimization Tool	 
Ext JS Stencils: Design Kit	 
Architect: Visual App Builder	 
Sencha Themer: Styling Tool	 

**AQUA DATA STUDIO**

Register Servers/Databases, Database Navigator/Explorer	 
Query Analyzer (SQL editor) and Query Builder	 
Table Data Editor	 
Visual Analytics	 
Schema/Data/File Compare Import/Export Data and DDL	 
ER Modeler	 
Database Administration	 

Download a Free Trial at [www.embarcadero.com/products](http://www.embarcadero.com/products)

CORPORATE HEADQUARTERS | EMBARCADERO TECHNOLOGIES, INC. | 10801 North Mopac Expressway, Building 1, Suite 100 | Austin, TX, 78759, USA

[www.embarcadero.com](http://www.embarcadero.com) | [sales@embarcadero.com](mailto:sales@embarcadero.com)

© 2022 Embarcadero Technologies, Inc. Embarcadero, the Embarcadero Technologies logos, and all other Embarcadero Technologies product or service names are trademarks or registered trademarks of Embarcadero Technologies, Inc. All other trademarks are property of their respective owners. 110723